

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (original) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls, namely mannosyl(1-2)glucosyl(1-2)glycerate, wherein the compound is in any of its possible stereoisomeric forms, alone or as a constituent in a suitable formulation to protect and/or stabilize enzymes or other cellular components and biomaterials against general stress.
2. (original) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claim 1 wherein the mannosyl residue is replaced by any six member ring carbohydrate residue, namely glucose, galactose, gulose, talose, fucose, rhamnose, idose, or altrose.
3. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 and 2 wherein the glucosyl residue is replaced by any six member ring carbohydrate residue, namely mannose, galatose, gulose, talose, fucose, rhamnose, idose, or altrose.
4. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glycerate residue is replaced by glycerol.
5. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glycerate residue is replaced by glyceramide.
6. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glyceryl residue is replaced by a lactyl residue.
7. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glyceryl residue is replaced by propylene glycol.

8. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 7 wherein the glycosyl residues are in the α or β configuration.

9. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 8 wherein the glyceryl residue is in the D or L configuration.

10. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 9 wherein to protect enzymes or other proteins against temperature denaturation induced by purification, transport and/or storage.

11. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as a protector of the activity of polymerase chain reaction (PCR) enzymes for clinical, biological and industrial purposes during the storage, as well as the high-temperature recycling of the enzymes.

12. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as a stabilizer or enzymes or other proteins during lyophilization, desiccation or freeze-drying and storage at low temperatures.

13. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as a stabilizing agent during the manufacture, storage and assays using test kit enzymes, for diagnostic, biological and industrial purposes.

14. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein to stabilize enzymes or other proteins during their routine utilization for clinical, biological and industrial purposes.

15. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection or stabilization of antibodies for clinical, biological, research, and industrial purposes.

16. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection

or stabilization of vaccines of proteic or non-proteic nature for clinical, or industrial purposes.

17. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection of biomaterials against stress such as desiccation and lyophilization of cell membranes, liposomes, liposome-containing cosmetics or lipid related substances.

18. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the structural protection or stabilization of DNA or RNA molecules.

19. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection, stabilization or improved performance of DNA or RNA microarrays.

20. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as an additive to cosmetics to improve moistening properties stabilize compounds or liposomes or as a suppressor of free radicals.

21. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for protection against damage caused by lyophilization, desiccation, high temperatures, and freezing to microbial cells.

22. (currently amended) The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 and 10 to 24 wherein the compound is a constituent in a suitable formulation to protect and/or stabilize enzymes or other cellular components and biomaterials.